Get hold of some LIGHTNING...





1984 Limited Edition Hurst/Olds



LIGHTNING under control... an experience you won't forget





Underneath, there's a lot more.

First, there's a full set of 15" chrome & silver superstock wheels. Special steering gear, higher rate springs, larger diameter stabilizer bar, superlift air shock absorbers. Rubber isolated body frame mounts. And all the modifications required by the special transmission and low-restriction dual exhaust.

Hurst/Olds Package—Includes Silver Metallic and Black special paint scheme with Red and Black accent stripes on Upper Sides and Front-End Panel, Blacked-out Bumpers, Bumper Guards, Headlamp Doors, Tail Lamp and Backup Lamp Bezels with Black and Bright Grille, Amber Park/Turn Lamp Ienses, Chrome and Silver Super Stock Wheels with Red accent stripe, Black Front Lower Air Dam, Silver Deck Lid Spoiler, Non-functional Hood Scoop and Bumper Rub Strip Moldings. Includes all Calais interior features such as Reclining Bucket Front Seats, Outside Mirrors Silver, Sport Console, Firm Ride and Handling package plus Superlift Air Shock Absorbers, Custom Sport Steering Wheel, P215/65R15 Goodyear Eagle GT Tires, Instrument Panel Rallye Cluster and Tungsten Halogen Headlamps, 5.0-liter V8 Engine (LV2) with high-performance camshaft and dual-outlet exhaust system; 4-Speed Automatic Overdrive Transmission (MXO) with special Hurst "Lightning Rod" shifters and a 3.73 Axle Ratio.

Lightning control.The Hurst Lightning Rods automatic shifter provides both automatic transmission ease and driver manual control of upshift and downshift. Select Park, Reverse, Neutral, Drive, or Overdrive as you would with the original equipment automatic overdrive transmission. Or use the "Lightning Rods" to take control of upshift/ downshift timing.

With the main control stick in D (Drive), use the center stick to downshift to "2nd" (or back up to Drive). Once you're in 2nd, use the right-hand stick to downshift from 2nd to 1st (or back up to 2nd).

Here's the cockpit.
It's all right there. Speedometer, trip odometer, tachometer, fuel and oil pressure gauges and ammeter. All the information you need for driving.

Plus a few extras. Sport steering wheel—of course—and reading lights are part of the package. And the front bucket seats recline nicely but are really built for driving.





under control... an experience you won't forget





Underneath, there's a lot more.

First, there's a full set of 15" chrome & silver superstock wheels. Special steering gear, higher rate springs, larger diameter stabilizer bar, superlift air shock absorbers. Rubber isolated body frame mounts. And all the modifications required by the special transmission and low-restriction dual exhaust.

Hurst/Olds Package—Includes Silver Metallic and Black special paint scheme with Red and Black accent stripes on Upper Sides and Front-End Panel, Blacked-out Bumpers, Bumper Guards, Headlamp Doors, Tail Lamp and Backup Lamp Bezels with Black and Bright Grille, Amber Park/Turn Lamp Ienses, Chrome and Silver Super Stock Wheels with Red accent stripe, Black Front Lower Air Dam, Silver Deck Lid Spoiler, Non-functional Hood Scoop and Bumper Rub Strip Moldings. Includes all Calais interior features such as Reclining Bucket Front Seats, Outside Mirrors Silver, Sport Console, Firm Ride and Handling package plus Superlift Air Shock Absorbers, Custom Sport Steering Wheel, P215/65R15 Goodyear Eagle GT Tires, Instrument Panel Rallye Cluster and Tungsten Halogen Headlamps, 5.0-liter V8 Engine (LV2) with high-performance camshaft and dual-outlet exhaust system; 4-Speed Automatic Overdrive Transmission (MXO) with special Hurst "Lightning Rod" shifters and a 3.73 Axle Ratio.

Lightning control.The Hurst Lightning Rods automatic shifter provides both automatic transmission ease and driver manual control of upshift and downshift. Select Park, Reverse, Neutral, Drive, or Overdrive as you would with the original equipment automatic overdrive transmission. Or use the "Lightning Rods" to take control of upshift/ downshift timing.

With the main control stick in D (Drive), use the center stick to downshift to "2nd" (or back up to Drive). Once you're in 2nd, use the right-hand stick to downshift from 2nd to 1st (or back up to 2nd).

Here's the cockpit.

It's all right there. Speedometer, trip odometer, tachometer, fuel and oil pressure gauges and ammeter. All the information you need for driving.

Plus a few extras. Sport steering wheel—of course—and reading lights are part of the package. And the front bucket seats recline nicely but are really built for driving.



Experience LIGHTNIG




1984 Hurst/Olds





1984 Limited Edition Hurst/Olds







There is a special feel in an Colomobic

Specifications:

ENGINE	
Type V-	8, iron block and heads,
alı	uminum intake manifold
Bore x stroke	3.80 x 3.385
Displacement	307 cu. in., 5 liters
Compression ratio	8.0:1
Carburetion 1 x 4 R	ochester 4MV Quadrajet
Emission controlsr	nonolythic bed catalytic
converte	r, feedback fuel-air-ratio
control.	EGR, auxiliary air pump
Valvetrain pus	hrods, overhead valves.
Power (SAE net).	hydraulic lifters
Power (SAE net)	180 bhp @ 4000 rpm
Torque (SAE net)	245 lbs-ft @ 3200 rpm
Exhaust system lo	w restriction dual outlet.
mufflere	
Fuel requirement	Unleaded
DRIVETRAIN	
Transmission 4-spd. auto	omatic THM-200-4R with
	ockup torque converter,
	2400 rpm stall speed
Final drive ratio 3.73	3:1 (limited slip optional)
Transmission gear ratios	
	II 1.57
	III 1.00
	IV .67
WOT upshift 1-2:	
Wor upstillt	3-4:4400 rpm
SUSPENSION	
Front independent, unec	ual length control arms,
coil springs, anti-sw	ay bar (1.25 in. diameter)
Rearrigid axle, 4 tr	ailing links, coil springs,
	ay bar (.875 in. diameter)
CTTTTUE C	
Type recircula	tion ball names againsted
Type recircula	ting ball, power assisted
Ratio	12.70:1
Turns lock-to-lock	2.5
BRAKES	
BRAKES Front	. 10.5 x 1.0 in. vented disc
Rear9.5	x 2.0 in. cast iron drums
WHEELS AND TIRES Wheel size	
Wheel size7	.0 x 15 in. chrome plated,
	Super Stock
Tire make and size	Goodyear Eagle GT Steel
Belted R	adial, P215/65R x 15 RWL
DIMENSIONS AND CAP	ACITIES
Wheelbase	
Length	200 0 in
Width	
Curb weight	
Weight distribution F/R	E0 00/ /41 10/
Fuel tank capacities	10.411.6 mallama
Fuel tank capacities	18.1 U.S. gallons
CHASSIS/BODY	
Type full length frame	with rubber isolated body
Body material	. welded steel stampings
INTERIOR	malining bushed state
Front seats	
The second second	or vinyl upholstery
Gauges 85 mp	n (140 kph) speedometer,
with t	rip odometer, tachometer,
	oil pressure, fuel level,
W	ater temperature, voltage.

water temperature, voltage.