

Camaro offers a unique combination of standard safety,

performance and convenience features — at a price

you can afford.

CAMARO STYLE, From four-wheel anti-lock brakes

CHEVROLET VALUE. to exceptional paint quality, you'll

appreciate everything that goes into
the '95 Camaro. Check out all of the features shown
on these pages. It's these things and more that make
Camaro a great value and 100% Genuine Chevrolet.



STANDARD 3.4 LITTER V6.

Horsepower is 160 at 4600 rpm. Features include Sequential-Port Fuel Injection for exceptional smoothness and a serpentine accessory drive belt that is designed to never need adjusting. NEW OPTIONAL 3800 V6.

Horsepower of the new optional 3800 V6 is 200 at 5200 rpm. This silky-smooth V6 provides a superb blend of low-end torque and muscular top-end power. The 3800 V6 will not be available at start of production.

ELECTRONICALLY CONTROLLED
4-SPEED AUTOMATIC.

The 4-speed automatic transmission is a fully electronic design that delivers impressive shift feel and exact compatibility with the torque curves of Camaro engines.

SOPHISTICATED SUSPENSION DESIGN.

A compliant ride and responsive handling are provided by a tuned Short/Long Arm (SLA) front suspension, highpressure gas monotube de Carbon shocks, and power rack-and-pinion steering. DING- AND DENT-RESISTANT BODY PANELS.

Rustproof, composite door panels, roof and front fenders are designed to help keep Camaro new-looking for years. Rear-quarter panels and hood feature two-side-galvanized steel for unsurpassed protection against corrosion. A SOLID, STRONG FOUNDATION.

Rigid, unitized body/frame construction helps make Camaro strong and solid. This foundation is an important reason why Camaro has an exceptionally smooth ride, and feels so solid, stable and well-built. STANDARD SECURITY SYSTEM,

PASS-Key II is a totally passive theft-deterrent system. Only your special coded ignition key starts your 1995 Camaro. If an attempt is made to start the car without the proper key, the ignition system is disabled. STANDARD DUAL AIR BAGS,

Driver- and front passengerside air bags are standard. They can help protect frontseat occupants in certain moderate to severe frontal collisions. Remember to always wear safety belts, even in cars equipped with air bags. STANDARD FOUR-WHELL ABS.

A power-assisted four-wheel anti-lock brake system (ABS) is standard. ABS prevents wheel lockup while braking, and is designed to help you maintain steering control and prevent skidding when braking on most slippery surfaces. SCOTCHGARD**
PROTECTOR.

The Camaro interior is beautiful — and is designed to stay beautiful with standard Scotchgard¹⁰ Protector on seat fabrics, door trim, floor carpeting and mats. WET-LOOK PAINT THAT STANDS UP TO ACID RAIN,

Camaro features durable base-coat/clear-coat paint that not only provides a wet-look shine, it actually reduces the severity of water-spotting and etching from acid rain. STAINLESS-STEEL EXHAUST SYSTEM.

The Camaro stainless-steel exhaust system (including catalytic converter, exhaust pipes, muffler and tailpipes) is designed to resist corrosion and last longer than conventional systems.



The Camaro interior was designed by sports car enthusiasts. That's clear the moment you take a seat. And the

more you drive a Camaro, the more

SURROUND YOURSELF you'll appreciate this remarkable IN CAMARO.

combination of function and style.

Instrumentation is highly read-

able, analog and complete. The contoured driver's seat adjusts to you, and a tilt steering wheel is standard.

Other standard interior features in every Camaro include an AM/FM stereo with cassette tape player, console-mounted cup holder and Scotchgard." Protector (on cloth seats, door trim, floor carpeting and floor mats). Coupe models offer up to 32.8 cu. ft. of cargo space with the rear seat folded down; space that's also accessible through a wide-opening rear hatch.

Camaro is everything you want it to be. Well equipped. Ergonomically correct. And a blast to drive.

STANDARD DUAL AIR BAGS, ----

In 1994 tests conducted by the National Highway Traffic Safety Administration, Camaro received the highest rating available (5 stars) for both driver- and frontpassenger satety in 35-mph frontal crash tests.









The Camaro Convertible is not only a great convertible it is a great sports car.

Advanced design and manu-

THE UP SIDE OF THE CAMARO CONVERTIBLE. to create one of the most rigid con-

facturing processes have combined

vertible body structures in Chevrolet

history. The top is tight-fitting, for reduced wind noise at highway speeds.

You'll appreciate the power-operated, fully lined top and a glass rear window with electric defogger. When lowered, the top stores beneath a hard tonneau cover for an especially neat top-down appearance.

The standard powertrain is a responsive 3.4 Liter V6 with a 5-speed manual transmission. A 200-hp, 3800 V6, teamed with an electronically controlled 4-speed automatic, is a new option for 1995.*

That's the up side of owning a Camaro Convertible. And the down side? Well, that's even better.

*The 3x00 V6 will not be available at start of production. See your dealer for details.


HARD TONNEAU COVER. ____

Camaro Convertible features a form-fitting three-piece tonneau cover for a sleek top-down appearance.









Camaro Z28 is the kind of car only America could make, with its 275-hp V8, 6-speed manual transmission,

and specially tuned Performance

THE TECHNOLOGY

Ride & Handling suspension.

BEHIND THE LEGEND. The 5.7 Liter LT1 V8 features

Sequential-Port Fuel Injection and a

direct fire ignition system for a smooth idle and instant throttle response. Platinum-tipped spark plugs are designed to last up to 100,000 miles.

A specially tuned suspension helps Z28 deliver precise response to driver input.



The 6-speed, close-ratio transmission is the perfect complement to the LT1 V8. The optional 4-speed automatic transmission is a fully electronic design that delivers impressive shift feel and exact compatibility with the torque curve of the LT1. For enhanced performance on low-traction surfaces, Electronic Traction Control is optional (check your dealer for availability).

Fast-ratio power steering delivers quick response and great road feel, and you also get world-class stopping power, with four-wheel disc brakes and ABS.


These are just a few of the reasons Camaro Z28 sales were up over 1000% last year.*

*Based on registrations, 1994 model year through March vs. same period 1993.

Optional Electronic Traction Control* and Mud & Snowrated performance tires provide excellent grip, even on lowtraction surfaces. *Not available at start of production.







Camaro Coupe with optional aluminum wheels.

Chevrolet is committed, in every way, to making your 1995 Camaro the best car you've ever owned. That commitment starts with a quality car.

GENUINE

and it continues with a promise to treat

CUSTOMER CARE. you as a valued customer. Always.

As a Camaro owner, you are

covered by all of the following:



Bumper to Bumper Warranty

The GM 3-year/36,000-mile (whichever comes first) limited warranty covers repairs for all 1995 Camaros, including labor and parts, to correct any defects in material or workmanship occurring during the warranty period. Warranty features include air conditioning repair, towing and no-cost warranty transfer. There is also emissions system coverage, which varies by geographical location.

The Camaro body is warranted for rust-through protection for 6 years/100,000 miles. Application of additional rust-inhibiting materials is not required under the corrosion coverage and none is recommended. See your Chevrolet dealer for terms of this limited warranty.



Courtesy Transportation

Customers who purchase or lease a 1995 Camaro will be able to take advantage of Courtesy Transportation at no additional charge when their vehicles are left at a participating dealership for repairs covered under the 3-year/36,000-mile Bumper to Bumper Warranty. See your participating dealer for details.



24-Hour Roadside Assistance

For as long as you own your 1995 Camaro, the security and convenience of round-the-clock Roadside Assistance is available via a toll-free hot line (1-800-CHEV-USA). Your call will be answered by a Roadside Assistance phone advisor trained by Chevrolet. You will be placed in contact with a nearby service center, and assistance with towing and other helpful services will be arranged. See your Chevrolet dealer for more details.



EXTERIOR COLORS





Medium Patriot Red Metallic



Dark Purple Metallic



Sebring Silver Metallic



Arctic White



Polo Green Metallic



Bright Teal Metallic

Mystic Teal Metallic

INTERIOR/EXTERIOR COLOR COMBINATIONS

	INTERIOR COLORS					
EXTERIOR COLORS	MEDIUM BEIGE	GRAPHITE	MEDIUM GRAY	FLAME RED*		
lack						
right Red						
Park Purple Metallic						
dedium Quasar Blue Metallic						
fedium Patriot Red Metallic						
ebring Silver Metallic						
retic White						
right Teal Metallic						
olo Green Metallic						
lystic Teal Metallic						
				7.5		

 [—]Available. Optional leather seating surfaces available in Graphite and Medium Beige only.
 *Flame Red on seat inserts and door trim only.

CONVERTIBLE TOP COLORS

Black, White, and Beige.

CAMARO BUYER'S GUIDE

PREFERRED EQUIPMENT GROUPS

NOTE: These optional Preferred Equipment Groups (PEGs) help simplify the buying process. Just choose the 1995 Camaro PEG containing the equipment you desire. You may also add selected individual options (see Standards & Options chart for model availability). Some restrictions may apply. Please see your salesperson for details.

		ALL MODELS	
PREFERRED EQUIPMENT GROUP NUMBER	1	2	
Air Conditioning (with CFC-free refrigerant)			
Electronic Speed Control with Resume Speed			
Fog Lamps			
Remote Hatch/Trunk Release			
Power Door Locks		•	
Power Windows with Driver's Express-Down Feature			
Twin Remote Electric Sport Mirrors			
Leather-Wrapped Steering Wheel, Transmission Shifter and Parking Brake Handle			
Remote Keyless Entry System with Illuminated Entry Feature		•	

STANDARDS & OPTIONS

NOTE: Some individually available options listed below may be included in specific Preferred Equipment Groups. Some restrictions may apply. Please see your salesperson for details.

CAMARO CAMARO Z28 Z28

EXTERIOR	COUPE	CONV.	COUPE	CONV.
Base-coat/clear-coat paint	5	5	5	5
Body-side moldings	0	0	0	0
Dual sport mirrors (LH remote)	5	5	5	5
Front air dam	5	S	5	5
Halogen headlamps	5	S	5	5
Rear deck spoiler	5	5	5	5
Transparent removable roof panels (include locks)	0	3.	0	
Sun shades for removable roof panels	0		0	
INTERIOR				
Air conditioning (with CFC-free refrigerant)	0	0	0	0
Auxiliary lighting	S	5	5	S
Carpeted front floor mats	5	5	5	5
Carpeted rear floor mats	0	0	0	0
Center console with storage compartment and cup holder	s	5	5	5
Deep-well luggage area	5	5	5	5
Driver- and front passenger-side air bags	5	s	S	5
Intermittent wiper system	5	S	5	5
Manual isp/shoulder safety belts for all seating positions	5	5	- 5	5
PASS-Key II theft-deterrent system	5	5	S	5
Power door-lock system	0	0	0	0
Power driver seat (6-way)	0	0	0	0
Rear-window defogger	0	5	0	5
Scotchgard Protector on cloth seats, door trim, floor carpeting and			,	,
floor mats	5	5	5	5
Seats: Cloth, with reclining front buckets	5	5	S	S
Special instrumentation with	5994			Ballesti

INTERIOR (CONTR.)	COUPE	CAMARO CONV.	Z28 COUPE	Z28 Conv
Side-window defoggers	5	5	-5-	-6-
Tilt-Wheel™ Adjustable Steering Column	5	s	s	s
Tinted glass-all windows Solar-Ray	5	5	5	5
DELCO ELECTRONICS ETR SOUND SYST	EMS	19/1	(A)	
NOTE: All Camaro stereo sound syst AM/FM stereo with seek-scan and dis	ems inclugital clock	ide a Delco e	lectronical	ly tuned
Stereo: AM/FM with cassette tape player	s	5	5	5
Stereo: Delco/Bose AM/FM with cassette tape player	0		0	
Stereo: Delco/Bose AM/FM with compact disc player and Delco-Loc II	0		0	
Stereo: AM/FM with compact disc player and Delco-Loc II		0		0
POWER TEAMS/CHASSIS				
V6 Engine: 3.4 Liter (207 cu. in.) w/ Sequential-Port Fuel Injection	s	s		
V6 Engine 3800 (231 cu. in.) with SF (not available at start of production) requires air conditioning and 4-speed automatic transmission*	0	0		
V8 Engine: 5.7 Liter LT1 (350 cu. in. w/ Sequential-Port Fuel Injection			s	5
Transmission: 5-speed manual	5	5		
Transmission: 6-speed manual			5	S
Transmission: 4-speed automatic	0	0	0	0
Brakes: Power front disc/rear drum with ABS	s	s		
Brakes: Power 4-wheel disc with ABS	F.* 01	-	5	5
Delco Freedom II Battery	S	5	5	5
Limited slip rear axle			5	5
Performance axle ratio			O'	O'
Power rack-and-pinion steering	5	5	5	5
Rear-wheel drive	5	5	5	5
Single serpentine belt engine		-		

^{*}The 3800 V6 will not be available at start of production. See your dealer for details.

Standard with 6-speed manual transmission; optional with 4-speed automatic.

Stainless-steel exhaust system

POWER TEAMS/CHASSIS (COMIN.)	CAMARO	CAMARO CONV.	Z28 COUPE	Z28 Cook
Suspension: Firm Ride & Handling	5	S		0/4/19
Suspension: Performance Ride & Handling			5	5
Suspension: Special Ride & Handling Performance Package		10.00	0	
Traction Control	114		0**	0**
**Requires optional all-season Performa WHEELS/TIRES	nce tires.			

Bolt-on wheel covers on 16 x 7%-inch wheels	s	5		
Bolt-on chrome wheel covers on 16 x 7%-inch wheels (not available at start of production)	0*	0*		
Wheels: 16 x 8-inch cast-aluminum	0	0	5	S
Wheels: 16 x 8-inch chrome cast-aluminum (not available at start of production)	0	0	0	0
Tires: P215/60R-16 Touring	5	5		
Tires: P235/55R-16 Touring	0'	0'	. 5	5
Tires: P245/50ZR-16 Performance		9.	0	0
Tires: P245/50ZR-16 all-season Performance			0	0

S—Standard. O—Optional. "Standard with 3800 V6. Requires optional aluminum wheels. NOTE: Tire chains should not be used on Camaros equipped with P235/55R-16 or P245/50ZR-16 tires because they could cause damage to these vehicles.

DATA

EXTERIOR DIMENSIONS (IN.)	Cours	CONVERTIBLES
Wheelbase	101.1	101.1
Length (overall)	193.2	193.2
Width (overall)	74.1	74.1
Height (overall)	51.3	52.0
Tread width—front	60.7	60.7
Tread width—rear	60.6	60.6

INTERIOR DIMENSIONS (IN.)	Cours	CONVERTIBLES
Head room—front	37.2	38.0
Head room—rear	35.3	39.0
Leg room—front	43.0	43.0
Leg room—rear	26.8	26.8
Shoulder room—front	57.4	57.4
Shoulder room—rear	55.8	43.5
Hip room—front	52.8	52.8
Hip room—rear	44.4	43.7
CAPACITIES	Seale.	THE REAL PROPERTY.
Passenger capacity	4	4
Luggage capacity—w/rear seat up (cu. ft.)	12.9	7,6
Luggage capacity—w/rear seat down (cu. fr.)	32.8	1
Fuel tank capacity (gal.)	15.5	15.5
Trailering	TORY	
Trailer classification	Light	Light
Gross trailer weight (lbs., up to*)	1000	1000
Maximum tongue load (lbs.)	100	100

ding trailer, cargo,	passengers and	equipment.
----------------------	----------------	------------

CAMARO SAFETY FEATURES

OCCUPANT PROTECTION.

Supplemental Inflatable Restraint: manual lap/shoulder safety belts and air bugs, driver/front passenger • Manual lap/shoulder safety belts, rear-seat positions • Energy-absorbing steering column • Energy-absorbing instrument panel • Interlocking door latches • Folding front-seat locks, inertia-type • Safety armets • Beeakaway inside rearview marror • Security door locks and door-retention components • Laminated windshield glass, urethane-bonded • Head restraints, front, integral • Side door beams • Passenger guard inside door-lock handles • Front and rear crists zones.

ACCIDENT AVOIDANCE.

• Side-marker lamps and reflectors • Parking lamps • Four-way hazard-warning flashers • Backup lamps • Directional signal control • Windshield defrosters, washers and multi-speed wipers • Inside day/night rearview mirror • Outside rearview mirrors • Brake system with dual master cylinder plus warning light • Center high-mounted stop lamp • Starter safety switch • Dual-action hood latch • Low-glare finish (inside windshield moldings, wiper arms and blades, metallic steering-wheel surfaces) • Illuminated heater and defroster controls • Tires with built-in tread-wear indicators • Audible disc brake lining-wear indicators • Ani-lock brakes • Brake/transmission shift interlock (automatic transmission).

THEFT DETERRENCE.

 Visible vehicle identification number • Laser-enched VIN plate • Marked body parts • Theft-deterrent steering-column lock • PASS-Key II personal security

A WORD ABOUT ...

ENGINES.

Chevrolets are equipped with engines produced by different operating units of GM, its subsidiaries or suppliers to GM worldwide.

CORROSION PROTECTION.

Chevrolets are designed and built to resist corrosion. All body sheet-metal components are warranted against rust-through corrosion for 6 years/100,000 miles. Application of additional rust-inhibiting materials is not required under the corrosion coverage and none is recommended.

ASSEMBLY.

Chevrolets are assembled by different operating units of General Motors, its subsidiaries or suppliers to GM worldwide. Chevrolet vehicles incorporate thousands of components produced by different operating units of GM, its subsidiaries or suppliers to GM worldwide. We sometimes find it necessary to produce Chevrolet vehicles with different or differently sourced components than originally scheduled. All such components have been approved for use in Chevrolet vehicles and will provide the quality performance associated with the Chevrolet name. Since some options may be unavailable when your vehicle is assembled, we suggest that you verify that your vehicle includes the equipment you ordered or, if there are changes, that they are acceptable to you.

UPDATED SERVICE INFORMATION.

Chevrolet regularly sends its dealers useful service bulletins about Chevrolet products. Chevrolet monitors product performance in the field. We then prepare bulletins for servicing our products better. Now you can get these bulletins, too. Ask your dealer. To get ordering information, call toll free 1-800-551-4123.

IMPORTANT: A WORD ABOUT THIS CATALOG.

We have tried to make this catalog as comprehensive and factual as possible. We reserve the right, however, to make changes at any time, without notice, in prices, colors, materials, equipment, specifications, models and availability. Since some information may have been updated since the time of printing, please check with your Chevrolet dealer for complete details.





